

Package: rggho (via r-universe)

September 12, 2024

Title Access WHO Global Health Observatory Data from R

Version 3.0.2.9000

Description Access WHO Global Health Observatory (<<https://www.who.int/data/gho/>>) data from R via the `OData` API (<<https://www.who.int/data/gho/info/gho-odata-api>>), an application program interface providing a simple query interface to the World Health Organization's data and statistics content.

License GPL (>= 3)

LazyData TRUE

Depends R (>= 3.6.0)

Imports curl (>= 4.3.0), dplyr (>= 1.0.0), httr (>= 1.4.0), magrittr (>= 2.0.0), tibble (>= 3.0.0), tidyr (>= 1.2.0), rlang (>= 1.0.0), ODataQuery (>= 0.5.3), lifecycle (>= 1.0.0)

Suggests testthat, knitr, rmarkdown

VignetteBuilder knitr

RoxygenNote 7.2.3

Roxygen list(markdown = TRUE)

BugReports <https://github.com/aphp/rggho/issues>

Encoding UTF-8

Repository <https://aphp.r-universe.dev>

RemoteUrl <https://github.com/aphp/rggho>

RemoteRef HEAD

RemoteSha 1f12cd3edf5ca76f3df60b1fc892d72fbbb1c9b3

Contents

get_gho_data	2
rggho	3
search_gho	3

Index	4
--------------	----------

`get_gho_data`*Returns GHO Data*

Description

Given a code, returns the corresponding GHO data.

Usage

```
get_gho_data(code, filter = NULL)
```

Arguments

<code>code</code>	A GHO code.
<code>filter</code>	A named list of filtering parameters. Each parameter must be the correct type.

Details

Filtering parameters are given as a named list of the form `list(COUNTRY = "FRA", ...)`.

If you mispecify the filtering parameter, you will get a 400 Bad Request Error

Value

A GHO object

Examples

```
## Not run:
result <- get_gho_data(
  code = "MDG_0000000001"
)
print(result, width = Inf)

result <- get_gho_data(
  code = "MDG_0000000001",
  filter = list(
    REGION = "EUR",
    YEAR = 2015
  )
)
print(result, width = Inf)

## End(Not run)
```

rgho	<i>rgho: Access WHO Global Health Observatory Data From R</i>
------	---

Description

Access WHO Global Health Observatory data from R via the OData API, an application program interface providing a simple query interface to the World Health Organization's data and statistics content.

search_gho	<i>Search Codes or Dimensions Labels</i>
------------	--

Description

Search Codes or Dimensions Labels

Usage

```
search_gho(gho, x)
search_dimensions(x)
search_values(x, dimension = "GHO")
```

Arguments

gho	An object from get_gho_dimensions or get_gho_values .
x	A character string to find in GHO labels.
dimension	A GHO dimension where codes will be searched.

Value

A GHO object

Examples

```
search_values("neonatal", dimension = "GHO")

result <- get_gho_values(dimension = "REGION")
search_gho(result, "asia")
```

Index

`get_gho_data`, 2

`get_gho_dimensions`, 3

`get_gho_values`, 3

`rgho`, 3

`search_dimensions (search_gho)`, 3

`search_gho`, 3

`search_values (search_gho)`, 3